

Technical Data Sheet

PT 750 PLUS glass activator

Active Wipe for Surface Treatment of Glass and Ceramic Coatings Prior to Direct Glazing

Base: Silane Containing Solvent

Product Description

PT 750 PLUS glass activator is an active wipe based on silane containing solvents.

Application Areas

PT 750 PLUS glass activator is used for cleaning and activating glass, ceramic coatings as well as remaining beads prior to direct glazing without black glass primer.

Technical Data

Colour:	colourless clear
Consistency:	smells of white spirit
Density:	approx. 0.7 g/cm ³
Solids:	approx. 1.5 %
Drying time:	min. 5 minutes
Active time of the treated surface:	max. 1 hour

Preliminary statement

Prior to application it is necessary to read the **Safety Data Sheet** for information about precautionary measures and safety recommendations. Also, for chemical products exempt from compulsory labelling, the relevant precautions should always be observed.

Processing

PT 750 PLUS glass activator is applied preferably with a clean cloth to the surface. It is not wiped off. The adhesive can be applied after min. 5 min drying time.

PT 750 PLUS glass activator is applied on glass or ceramic coating, but only in the bonding area. It is not suitable for cleaning of visible areas due to reactive ingredients that may lead to spots and stripes after drying. Contaminations in the visible areas must be removed immediately by using a pure solvent cleaner.

Important

Since PT 750 PLUS glass activator is a reactive, solvent-containing product, the bottle should be closed immediately after the activator has been used, in order to avoid undesirable reactions.

The following recommendations have proved suitable:

- A glass activator which has obviously changed the appearance to milky/cloudy is tainted and should no longer be used for processing.
- Activator bottles, once opened and closed, should be used within two weeks.

Storage

Frost-sensitive:	no
Recommended storage temperature:	5 °C to 25 °C
Shelf life:	12 months in original packaging

Container/packaging units

PT 750 PLUS glass activator is supplied in 30 ml, as well as in 250 ml single containers/aluminium bottles. One case contains 12 individual bottles à 30 ml or 250 ml.

Hazard Indications/ Safety Recommendations/ Transport Regulations

see Safety Data Sheet

This Technical Data Sheet supersedes all previous editions.

Disclaimer

Note:

The above information, in particular the suggestions for processing and use of our products, is based on our knowledge and experience in standard cases. To ensure that the above information in the technical data sheets can be complied with and the respective product used or processed properly, the products need to be stored correctly. In addition, the above information reflects our state of knowledge at the time of printing this note. We are constantly striving to improve our products, and as such reserve the right to make changes to product specifications and processing instructions. The most current technical data sheet at the time of processing/application shall apply. The user must therefore always check the suitability of the products for the intended application and obtain advance information of any changes to the product specifications at PMA/TOOLS. We would like to point out the following: In particular where our products are processed and used without observing the product specification and without complying with the current processing instructions, there will be no warranty for the processed or used product unless the customer (who processed the product) can prove that an alleged defect of the product was already present (i.e. independent of processing or use) when the risk passed from us to him as the customer. Due to the different materials, substrates and different working conditions when processing or using the product, no liability for any working results will be accepted in other regards, except where that we have provided an express assurance for a working result. We would like to point out that any such additional assurance would have to be presented and, if necessary, proved by the party relying on it, i.e. by the party asserting a warranty. In all other respects, our general terms and conditions apply.